

# DESK PANEL DP1V AND HANDSET HB21 FOR CBD4

**Features:**

- Control panel for single channel or parallel systems
- Colour black DP1V and grey or black HB21
- Wireless HB21 with 3AAA batteries
- Black, 1580 mm straight cable with modular jack plug mounted on the DP1V


**Usage:**

- Ambient temperature +5°C to +40°C
- Compatible CBD4 and CBD5




The DP1V and HB21 form the basic wireless control system based on infrared communication. The DP1V is the receiver and the HB21 is the handset transmitting the signals to the system via the DP1V. The system is especially useful in applications such as furniture for flat screens. As a further option an extension eye can be mounted on the DP1V, making it possible to hide the DP and only have the eye visible.

# Dimension DP1V:




## Extension eye Art. No. 0964079



The extension eye is for mounting in a 10 mm hole. The eye has a 2000 mm cable with a mini Jack plug, which is to be plugged into the DP1V.

#### Extension eye Art. No 0964080



The extension eye is for surface mounting (with self adhesive tape on the back of the extension eye). The eye has a 2000 mm cable with a mini Jack plug, which is to be plugged into the DP1V.

#### HB21:

##### Operation of the system

The IR transmitter HB21 is a simple up/down control with a button for the up activation and a button for the down activation.

For activation of the control box point with the HB21 at the DP1V or extension eye: Press the button up or down.


The operation range for the HB21 is approx. 6m.

The DP1V can be mounted with an extension eye. Because the extension eye is more visible the operation range for the HB21 will be wider.




## DP1

Ordering example:



## HP21

Ordering example:



Inclusive 3 x AAA batteries.

Specifications subject to change without prior notice.  
It is the responsibility of the product user to determine the suitability of LINAK A/S products for a specific application. LINAK will at point of delivery replace/repair defective products covered by the warranty if promptly returned to the factory. No liability is assumed beyond such replacement/repair.